



BEHTA

MAIN

CATALOGUE



A collage of various climbing hardware. It includes a blue carabiner, a yellow carabiner, a blue bolt, a yellow bolt, a blue rope, and a yellow rope. The items are arranged in a grid-like fashion, with some overlapping. The background features blue and orange geometric shapes, including a large blue triangle and a yellow triangle.

زانو

Knee

الركبة



OWO (Open wedge Osteotomy) Locking Plate

پلاک لاکینگ استئوتومی با گوه باز
لوحة قفل OWO (قطع العظم الإسفيني المفتوح)



CODE	USAGE DESCRIPTION	TYPE	LENGTH (mm)
14521081105	High Tibia Osteotomy Locking OWO Plate 4.5 mm 6 Hole R	Large	20
14521082105	High Tibia Osteotomy Locking OWO Plate 4.5 mm 6 Hole L	Large	20
94520180007	OWO Block 7 mm	Wedge	19
94520180008	OWO Block 8 mm	Wedge	19
94520180009	OWO Block 9 mm	Wedge	19
94520180010	OWO Block 10 mm	Wedge	19
94520180011	OWO Block 11 mm	Wedge	19
94520180012	OWO Block 12 mm	Wedge	19
94520180013	OWO Block 13 mm	Wedge	19
94520180014	OWO Block 14 mm	Wedge	19
94520180015	OWO Block 15 mm	Wedge	19
94520180016	OWO Block 16 mm	Wedge	19
94520180017	OWO Block 17 mm	Wedge	19

Medial High Tibia Osteotomy Locking Plate

پلاک لاکینگ استئوتومی مدیال پروگزیمال تی بیا
لوحة قفل عظم القصبة العالية الإنسي

Special Plates



CODE	USAGE DESCRIPTION	TYPE	LENGTH (mm)	Note
14521080105	High Tibia Osteotomy Locking' Plate 4.5 mm 5 Hole Standard	Standard	113 mm	
14521080104	High Tibia Osteotomy Locking Plate 4.5 mm 4 Hole Standard	Standard	101 mm	

طِبّ وِرْزِش

Sport Medicine

الطّب الرياضي

ACL and PCL tendon reconstruction

بازسازی تاندون ACL و PCL زانو
إعادة بناء وتر الرباط الصليبي الأمامي والرباط الصليبي الخلفي

Screwless System (S.L.S)

Dish button

Endo button

Exercise Medicine 3

CODE	USAGE DESCRIPTION	TYPE	LENGTH (mm)	Note
61520070012	Adjustable Loop Endo button	Standard	12	
61520070013	Adjustable Loop Endo button	Larg	16	
61520070014	Adjustable Loop Dish button	Standard	14	
61520070017	Adjustable Loop Dish button	Larg	16	

ACL Eye Guide Pin

CODE	USAGE DESCRIPTION	TYPE	LENGTH (mm)	Note
34030035025	For ACL Operation with eyes	Guide	2.5x350 mm	
34030135025	For ACL Operation without eyes	Guide	2.5x350 mm	



Behta Tafakkor -e Nab-e Salamat Knowledge Based Company

Adjustable Loop AC Joint

ای سی جوائنٹ با لوپ قابل تنظیم
المفصل الاخرمي الترقوي بحلقة قابلة للتعديل

Exercise Medicine 3



CODE

USAGE DESCRIPTION

TYPE

SIZE (mm)

NOTE

61520070015

Adjustable Loop AC Joint

Standard

12

.....

Adjustable Loop Syndesmosis

سيندس موزيس با لوپ قابل تنظيم
متلازمة حلقة قابلة للتعديل



Exercise Medicine 3

CODE	USAGE DESCRIPTION	TYPE	SIZE (mm)	NOTE
61520070016	Adjustable Loop Syndesmosis	Standard	12	



فوت و انكل

Foot & Ankle

القدم و الكاحل



Anatomical Locking FUSION MTP Plate 2.7 mm

پلاک آناتومیک لاکینگ فیوژن انگشت شصت پا (JOINT MTP) 2.7 میلی متر
لوحة التثريحية قفل النصهار إلبهام JOINT MTP ٢.٧ مم



Foot & Ankle System

CODE	BARCODE	USAGE DESCRIPTION	SIDE	LENGTH (mm)
12721391106		Anatomical Fusion MTP Joint Locking Plate 6 Hole Ti	R	50
12721392106		Anatomical Fusion MTP Joint Locking Plate 6 Hole Ti	L	50



Behta Tafakor Naab-e Salamat Knowledge Based Company

ارتوپدی اطفال


Pediatric Orthopedics

جراحه عظام اطفال





CODE	USAGE DESCRIPTION	TYPE	LENGTH (mm)	Note
13521070012	Eight Growth Plate 12 mm Titanium	PEDIATRIC	12	
13521070016	Eight Growth Plate 16 mm Titanium	PEDIATRIC	16	



Pediatric 1

CODE	USAGE DESCRIPTION	TYPE	LENGTH (mm)	Note
50620000020	Titanium Elastic Nail Pin Nail (Ten Nail) 2 X 350	Elastic Nail	350	
50620000025	Titanium Elastic Nail Pin Nail (Ten Nail) 2.5 X 350	Elastic Nail	350	
50620000030	Titanium Elastic Nail Pin Nail (Ten Nail) 3 X 350	Elastic Nail	350	
50620000035	Titanium Elastic Nail Pin Nail (Ten Nail) 3.5 X 350	Elastic Nail	350	
50620000040	Titanium Elastic Nail Pin Nail (Ten Nail) 4 X 350	Elastic Nail	350	
50620000045	Titanium Elastic Nail Pin Nail (Ten Nail) 4.5 X 350	Elastic Nail	350	
50620000050	Titanium Elastic Nail Pin Nail (Ten Nail) 5 X 350	Elastic Nail	350	

تروما

Truma

صدمة



LCDCP PLATE 3.5 mm

پلاک 3.5 میلی متر لاکینگ کم تماس
قفل لوحة الاتصال المنخفض



CODE

USAGE DESCRIPTION

TYPE


LENGTH (mm)

Note

13520050104	LCDCP Locking Plate 3.5 mm 4 Hole	SMALL	59	
13520050105	LCDCP Locking Plate 3.5 mm 5 Hole	SMALL	71	
13520050106	LCDCP Locking Plate 3.5 mm 6 Hole	SMALL	83	
13520050107	LCDCP Locking Plate 3.5 mm 7 Hole	SMALL	95	
13520050108	LCDCP Locking Plate 3.5 mm 8 Hole	SMALL	107	
13520050109	LCDCP Locking Plate 3.5 mm 9 Hole	SMALL	119	
13520050110	LCDCP Locking Plate 3.5 mm 10 Hole	SMALL	131	
13520050112	LCDCP Locking Plate 3.5 mm 12 Hole	SMALL	155	
13520050114	LCDCP Locking Plate 3.5 mm 14 Hole	SMALL	167	

Anatomical Distal Fibula Locking Plate 3.5 mm

پلاک آناتومیکیال لاکینگ دیستال فیبولا 3.5 میلی متر
لوحة قفل الشیب القاصی التشریجی




3.5 System

CODE	USAGE DESCRIPTION	TYPE	LENGTH (mm)	Note
13521082107	Distal Fibula Locking Plate 7 Hole	R	80	
13521082110	Distal Fibula Locking Plate 10 Hole	R	99	
13521082112	Distal Fibula Locking Plate 12 Hole	R	121	
13521081107	Distal Fibula Locking Plate 7 Hole	L	80	
13521081110	Distal Fibula Locking Plate 10 Hole	L	99	
13521081112	Distal Fibula Locking Plate 12 Hole	L	121	

Anatomical Proximal Lateral Tibia Locking Plate 4.5 mm

پلاک آناتومیکال لاکینگ پروگزیمال تی بیا 4.5 میلی متر
لوحة قفل تثبيت الساق القربية الجانبية التشریحیة 4.5 مم




4.5 System

CODE	USAGE DESCRIPTION	TYPE	LENGTH (mm)	Note
14521282103	Anatomical Proximal lateral Tibia Locking Plate 3 Hole Ti	R	103	
14521282104	Anatomical Proximal lateral Tibia Locking Plate 4 Hole Ti	R	118	
14521282105	Anatomical Proximal lateral Tibia Locking Plate 5 Hole Ti	R	133	
14521282106	Anatomical Proximal lateral Tibia Locking Plate 6 Hole Ti	R	148	
14521282107	Anatomical Proximal lateral Tibia Locking Plate 7 Hole Ti	R	163	
14521282108	Anatomical Proximal lateral Tibia Locking Plate 8 Hole Ti	R	178	
14521282109	Anatomical Proximal lateral Tibia Locking Plate 9 Hole Ti	R	193	
14521282111	Anatomical Proximal lateral Tibia Locking Plate 11 Hole Ti	R	208	
14521282113	Anatomical Proximal lateral Tibia Locking Plate 13 Hole Ti	R	223	
14521281103	Anatomical Proximal lateral Tibia Locking Plate 3 Hole Ti	L	103	
14521281104	Anatomical Proximal lateral Tibia Locking Plate 4 Hole Ti	L	118	
14521281105	Anatomical Proximal lateral Tibia Locking Plate 5 Hole Ti	L	133	
14521281106	Anatomical Proximal lateral Tibia Locking Plate 6 Hole Ti	L	148	
14521281107	Anatomical Proximal lateral Tibia Locking Plate 7 Hole Ti	L	163	
14521281108	Anatomical Proximal lateral Tibia Locking Plate 8 Hole Ti	L	178	
14521281109	Anatomical Proximal lateral Tibia Locking Plate 9 Hole Ti	L	193	
14521281111	Anatomical Proximal lateral Tibia Locking Plate 11 Hole Ti	L	208	
14521281113	Anatomical Proximal lateral Tibia Locking Plate 13 Hole Ti	L	223	

DHS Locking Plate with 135° Angled

پلاک DHS لاکینگ با زاویه 135 درجه
لوحة قفل DHS بزاوية 135 درجة من الشركة



CODE	USAGE DESCRIPTION	TYPE
------	-------------------	------

50020070045	Nail DHS 45 mm	DHS/DCS
50020070050	Nail DHS 50 mm	DHS/DCS
50020070055	Nail DHS 55 mm	DHS/DCS
50020070060	Nail DHS 60 mm	DHS/DCS
50020070065	Nail DHS 65 mm	DHS/DCS
50020070070	Nail DHS 70 mm	DHS/DCS
50020070075	Nail DHS 75 mm	DHS/DCS
50020070080	Nail DHS 80 mm	DHS/DCS
50020070085	Nail DHS 85 mm	DHS/DCS
50020070090	Nail DHS 90 mm	DHS/DCS
50020070095	Nail DHS 95 mm	DHS/DCS
50020070100	Nail DHS 100 mm	DHS/DCS
50020070105	Nail DHS 105 mm	DHS/DCS
50020070110	Nail DHS 110 mm	DHS/DCS
50020070115	Nail DHS 115 mm	DHS/DCS
50020070120	Nail DHS 120 mm	DHS/DCS

4.5 System

CODE	USAGE DESCRIPTION	TYPE
------	-------------------	------

145210070103	DHS Plate Locking 135° 3 Hole	135°
145210070104	DHS Plate Locking 135° 4 Hole	135°
145210070105	DHS Plate Locking 135° 5 Hole	135°
145210070106	DHS Plate Locking 135° 6 Hole	135°
145210070107	DHS Plate Locking 135° 7 Hole	135°
145210070108	DHS Plate Locking 135° 8 Hole	135°
145210070109	DHS Plate Locking 135° 9 Hole	135°
145210070110	DHS Plate Locking 135° 10 Hole	135°
145210070112	DHS Plate Locking 135° 12 Hole	135°
145210070114	DHS Plate Locking 135° 14 Hole	135°
145210070116	DHS Plate Locking 135° 16 Hole	135°
200200000000	Compression Screw For DHS/DCS	ST-30mm





پیچ کورتیکال 4.5 مم/ Cortical Screw 4.5 mm برغي قشري 4.5 مم

CODE	USAGE DESCRIPTION	TYPE	Note
24520000024	Cortical Screw 24 mm	4.5	
24520000026	Cortical Screw 26 mm	4.5	
24520000028	Cortical Screw 28 mm	4.5	
24520000030	Cortical Screw 30 mm	4.5	
24520000032	Cortical Screw 32 mm	4.5	
24520000034	Cortical Screw 34 mm	4.5	
24520000036	Cortical Screw 36 mm	4.5	
24520000038	Cortical Screw 38 mm	4.5	
24520000040	Cortical Screw 40 mm	4.5	
24520000042	Cortical Screw 42 mm	4.5	
24520000044	Cortical Screw 44 mm	4.5	
24520000046	Cortical Screw 46 mm	4.5	
24520000048	Cortical Screw 48 mm	4.5	
24520000050	Cortical Screw 50 mm	4.5	
24520000052	Cortical Screw 52 mm	4.5	
24520000054	Cortical Screw 54 mm	4.5	
24520000056	Cortical Screw 56 mm	4.5	
24520000058	Cortical Screw 58 mm	4.5	
24520000060	Cortical Screw 60 mm	4.5	




پیچ کورتیکال لاکینگ 5 مم/ Cortical Locking Screw 5 mm برغي قفل قشري 5 مم

CODE	USAGE DESCRIPTION	TYPE	Note
20520000120	Cortical locking Screw 20 mm Titanium	locking	
20520000122	Cortical locking Screw 22 mm Titanium	locking	
20520000124	Cortical locking Screw 24 mm Titanium	locking	
20520000126	Cortical locking Screw 26 mm Titanium	locking	
20520000128	Cortical locking Screw 28 mm Titanium	locking	
20520000130	Cortical locking Screw 30 mm Titanium	locking	
20520000132	Cortical locking Screw 32 mm Titanium	locking	
20520000134	Cortical locking Screw 34 mm Titanium	locking	
20520000136	Cortical locking Screw 36 mm Titanium	locking	
20520000138	Cortical locking Screw 38 mm Titanium	locking	
20520000140	Cortical locking Screw 40 mm Titanium	locking	
20520000142	Cortical locking Screw 42 mm Titanium	locking	
20520000144	Cortical locking Screw 44 mm Titanium	locking	
20520000146	Cortical locking Screw 46 mm Titanium	locking	
20520000148	Cortical locking Screw 48 mm Titanium	locking	
20520000150	Cortical locking Screw 50 mm Titanium	locking	
20520000155	Cortical locking Screw 55 mm Titanium	locking	
20520000160	Cortical locking Screw 60 mm Titanium	locking	
20520000165	Cortical locking Screw 65 mm Titanium	locking	
20520000170	Cortical locking Screw 70 mm Titanium	locking	
20520000175	Cortical locking Screw 75 mm Titanium	locking	
20520000180	Cortical locking Screw 80 mm Titanium	locking	



کورتیکال 3.5 مم. / Cortical Screw 3.5 mm برغي قشري 3.5 مم

CODE	USAGE DESCRIPTION	TYPE	Note
23520000014	Cortical Screw 14 mm	3.5	
23520000016	Cortical Screw 16 mm	3.5	
23520000018	Cortical Screw 18 mm	3.5	
23520000020	Cortical Screw 20 mm	3.5	
23520000022	Cortical Screw 22 mm	3.5	
23520000024	Cortical Screw 24 mm	3.5	
23520000026	Cortical Screw 26 mm	3.5	
23520000028	Cortical Screw 28 mm	3.5	
23520000030	Cortical Screw 30 mm	3.5	
23520000032	Cortical Screw 32 mm	3.5	
23520000034	Cortical Screw 34 mm	3.5	
23520000036	Cortical Screw 36 mm	3.5	
23520000038	Cortical Screw 38 mm	3.5	
23520000040	Cortical Screw 40 mm	3.5	
23520000042	Cortical Screw 42 mm	3.5	
23520000044	Cortical Screw 44 mm	3.5	
23520000046	Cortical Screw 46 mm	3.5	
23520000048	Cortical Screw 48 mm	3.5	
23520000050	Cortical Screw 50 mm	3.5	
23520000052	Cortical Screw 52 mm	3.5	
23520000054	Cortical Screw 54 mm	3.5	
23520000056	Cortical Screw 56 mm	3.5	
23520000058	Cortical Screw 58 mm	3.5	
23520000060	Cortical Screw 60 mm	3.5	



پیچ کورتیکال لاکینگ 3.5 مم / Cortical Locking Screw 3.5 mm برغي قفل قشري 3.5 مم


CODE	USAGE DESCRIPTION	TYPE	Note
23520000114	Cortical Locking Screw 14 mm	3.5	
23520000116	Cortical Locking Screw 16 mm	3.5	
23520000118	Cortical Locking Screw 18 mm	3.5	
23520000120	Cortical Locking Screw 20 mm	3.5	
23520000122	Cortical Locking Screw 22 mm	3.5	
23520000124	Cortical Locking Screw 24 mm	3.5	
23520000126	Cortical Locking Screw 26 mm	3.5	
23520000128	Cortical Locking Screw 28 mm	3.5	
23520000130	Cortical Locking Screw 30 mm	3.5	
23520000132	Cortical Locking Screw 32 mm	3.5	
23520000134	Cortical Locking Screw 34 mm	3.5	
23520000136	Cortical Locking Screw 36 mm	3.5	
23520000138	Cortical Locking Screw 38 mm	3.5	
23520000140	Cortical Locking Screw 40 mm	3.5	
23520000142	Cortical Locking Screw 42 mm	3.5	
23520000144	Cortical Locking Screw 44 mm	3.5	
23520000146	Cortical Locking Screw 46 mm	3.5	
23520000148	Cortical Locking Screw 48 mm	3.5	
23520000150	Cortical Locking Screw 50 mm	3.5	
23520000155	Cortical Locking Screw 55 mm	3.5	
23520000160	Cortical Locking Screw 60 mm	3.5	



CODE	USAGE DESCRIPTION	TYPE	SIZE (mm)	Note
94520000001	Orthopedic Washer 4.5	Standard	4.5	
93520000001	Orthopedic Washer 3.5	Standard	3.5	
93520100001	Orthopedic Washer 3.5	Small	3.5	



CODE	USAGE DESCRIPTION	TYPE	SIZE (mm)	Note
35030000008	Orthopedic Cerclage Wire Dia 0.8 mm. Length 1000mm	Wire	1000	
35030000010	Orthopedic Cerclage Wire Dia 1.0 mm. Length 1000mm	Wire	1000	
35030000015	Orthopedic Cerclage Wire Dia 1.5 mm. Length 1000mm	Wire	1000	
35030000020	Orthopedic Cerclage Wire Dia 2.0 mm. Length 1000mm	Wire	1000	



Washers & Wires ,Pine and Drill Bits

CODE	USAGE DESCRIPTION	TYPE	Note
31030150008	Orthopedic Kirschner Wire Pins 0.8 x150 mm	Trocar	
31030200010	Orthopedic Kirschner Wire Pins 1.0 x200 mm	Trocar	
31030230012	Orthopedic Kirschner Wire Pins 1.2 x230 mm	Trocar	
31030230015	Orthopedic Kirschner Wire Pins 1.5 x230 mm	Trocar	
31030230020	Orthopedic Kirschner Wire Pins 2.0 x230 mm	Trocar	
31030230025	Orthopedic Kirschner Wire Pins 2.5 x230 mm	Trocar	
31030230030	Orthopedic Kirschner Wire Pins 3.0 x230 mm	Trocar	
31030230040	Orthopedic Kirschner Wire Pins 4.0 x230 mm	Trocar	
31030230050	Orthopedic Kirschner Wire Pins 5.0 x230 mm	Trocar	
31030230060	Orthopedic Kirschner Wire Pins 6.0 x230 mm	Trocar	

Orthopedic Quick Coupling Drills Bit

سرمتہ های ارتوپدی اتصال
مثقاب تقویم العظام السريع اقتران



CODE	SIZE	USAGE DESCRIPTION	Note
33030001515	1.5 x 150	Orthopedic Quick Coupling Drills Bit	
33030001520	2.0 x 150	Orthopedic Quick Coupling Drills Bit	
33030001525	2.5 x 150	Orthopedic Quick Coupling Drills Bit	
33030001527	2.7 x 150	Orthopedic Quick Coupling Drills Bit	
33030002027	2.7 x 200	Orthopedic Quick Coupling Drills Bit	
33030001532	3.2 x 150	Orthopedic Quick Coupling Drills Bit	
33030002032	3.2 x 200	Orthopedic Quick Coupling Drills Bit	
33030003032	3.2 x 300	Orthopedic Quick Coupling Drills Bit	
33030001535	3.5x 150	Orthopedic Quick Coupling Drills Bit	
33030002035	3.5 x 200	Orthopedic Quick Coupling Drills Bit	
33030003035	3.5 x 300	Orthopedic Quick Coupling Drills Bit	
33030001540	4.0 x 300	Orthopedic Quick Coupling Drills Bit	
33030002040	4.0 x 300	Orthopedic Quick Coupling Drills Bit	
33030002543	4.3 x 250	Orthopedic Guide Pins	



CODE	SIZE	USAGE DESCRIPTION	Note
32030008008	0.8 x 80	For Cannulated Herbert & headless screws	
32030102010	1 x10 x 200	For Cannulated Herbert & headless screws	
32030102012	1.2 x 10 x 200	For Cannulated screws 4.0 mm	
32030103517	1.7 x 10 x 350	For Cannulated screws 6.4 mm (multi-functional nails screw)	
32030102320	2 x 10 x 250	For Cannulated screws 6.5 & 7.0 mm	
32030102325	2.5 x 10 x 250	For DHS & DCS Cannulated nail screws	

Orthopedic Guide Pins



اکسترنال فیکسینور چند وجهی چرخشی

Multi Axial External fixator


مثبت خارجی متعدد المحاور




Multiaxial Angled Wrist External Fixator

تثبیت کننده های خارجی چند وجه چرخشی زاویه پذیر مچ دست
 مثبتات خارجیة بزایوة متعددة المحاور للمعصم

Old Design



Gold Design



CODE	USAGE DESCRIPTION	TYPE	Note
60010170601	Dynamic Multiaxial Angled Wrist Fixator SHORT	MULTIAXIAL	
60010170601	Dynamic Multiaxial Angled Wrist Fixator SHORT (Gold Design)	MULTIAXIAL	
60010195601	Dynamic Multiaxial Angled Wrist Fixator STANDADRD	MULTIAXIAL	
60010195601	Dynamic Multiaxial Angled Wrist Fixator STANDAD (Gold Design)	MULTIAXIAL	
60010230601	Dynamic Multiaxial Angled Wrist Fixator LONG	MULTIAXIAL	
60010230601	Dynamic Multiaxial Angled Wrist Fixator LONG (Gold Design)	MULTIAXIAL	

Multiaxial Femur & Tibia External Fixator

تثبيت كنده هاى خارجى چند وجه چرخشى ساق و ران
مثبتات خارجيه متعدده الجوانب دورانية للساقين والفخذين


Multi Axial Fixatur



T-Clamp



Short Clamp



O-Side Clamp



Standard Clamp



D-Side Clamp



Connection Clamp



Long Clamp



CODE

USAGE DESCRIPTION

TYPE






Note

60010170800	Dynamic Multiaxial Femur & Tibia External Fixator SHORT	MULTIAXIAL	
60010195800	Dynamic Multiaxial Femur & Tibia External Fixator STANDAD	MULTIAXIAL	
60010230800	Dynamic Multiaxial Femur & Tibia External Fixator LONG	MULTIAXIAL	
60010000801	T Clamp Dynamic Multiaxial Femur & Tibia External Fixator	MULTIAXIAL	
60010175800	Connection Clamp Multiaxial External Fixator	MULTIAXIAL	
60040000820	D-Side Clamp Multiaxial External Fixator	MULTIAXIAL	
60040000821	O-Side Clamp Multiaxial External Fixator	MULTIAXIAL	

Multiaxial Femur & Tibia External Fixator

تثبيت كئنده هاءى ؤارجى ؤند وءه ؤر ؤشى ساق و ران
مئبئاء ؤارجية مئعدة الجواءب ؤورانية للساقين والفؤذين

EAGLE DESIGN



PENNIG LENGTHENER MINI FIXATOR


تثبیت کننده های خارجی چند وجه چرخشی مثبات خارجية متعددة الجوانب دورانية للساقين والفخذين

توجه: با یک دور کامل چرخش (۳۶۰ درجه) در جهت عقربه های

ساعت یک و نیم میلیمتر به طول استخوان افزوده می شود.

Note: With a full rotation (360°) in a counterclockwise direction, One and half mm are added to the length of the bone.

ملاحظه: مع دوران کامل (۳۶۰ درجه) فی عکس اتجاه عقارب الساعة الاتجاه ، يضاف واحد ونصف مم إلى طول العظم.



ویژگیهای کلیدی:

- موجود در چهار طول بلندتر ، بلند ، استاندارد و کوتاه
- گیره های مستقیم یا ال شکل برای محکم کردن شنز که از طریق پوست وارد استخوان می شوند کاربرد دارد.
- برای پل زدن بالا و پایین مفاصل در بسیاری از موارد استفاده می شود.
- میله های بلند (بدون اتصالات توپی) در چهار اندازه موجود است.
- قابلیت کمپریشن و دیسترکشن دارد.
- موارد استفاده: در تروما ، برای درمان شکستگی های شفت و مفصل استخوان های کوچک دست و پا واستخوان های فک.
- در ارتوپدی برای اقدامات ترمیمی دست و پا از جمله برای درمان عدم جوش خوردگی ؛ اصلاح دفورمیتی ؛ برای افزایش طول و انتقال استخوان و صدمات تاندون و بافت نرم.

PENNIG LENGTHENER MINI FIXATOR

تثبيت كمنده هاءى ؤارءى ؤنء وءه ؤر ؤشى
مءباء ؤارءىة مءعءءة الءواب ءورانىة للساقىن والفاءىن

Key Features:

- Available in four lengths: X long, long, standard and short
- Straight or L-shaped clamps for securing threaded wires which are inserted percutaneously
- Bridging of joints avoided in many cases
- Lengthening bars (without ball-joints) available in three sizes
- Compression or distraction possible

Uses: In trauma, for the treatment of shaft, articular and periarticular fractures of the small bones of the hand and foot, mandible.
In orthopedics' for reconstructive procedures in the hand and foot including the treatment of non- union;
correction of deformity; lengthening and bone transport procedures, and soft tissue contractures.

ءلائل المىزاء:

- مءوفر بأربعة أطوال: إكس لونء وطويل وقىاسى وقصىر
- مشابك مءسءقىمة أو على شكل حرف L لءبىء الأسلاك الملولبة الءى ىءم إءءالها عن طرىق الءلء
- ءءنب سء المفاصل فى كءىر من الءالاء
- قضبانب الإطالة (ءءون وصلاء كروىة) مءوفرة بءلااءة أءام
- ضغط

الاسءءءاماء: فى ؤالاء الصءماء ، لءلاء كسور العموء الفقرى والمفصلى وءول المفصل للءظام الصغىرة فى الءء والءءم والفاء السفلى.
فى ؤراة العظام للإءراءاء الءرمىمىة فى الءء والءءم بما فى ذلك لءلاء عءم الاءءام ؛
ءصءىء الءشوء عملىاء الإطالة ونقل العظام وءقلصاء الأنسءة الرءوءة.

External Multiaxial

CODE	USAGE DESCRIPTION	TYPE	LENGTHENING (mm)
60020060100	FINGER & MANDIBULAR MULTIAXIAL MINI FIXATOR	60	40
60020050620	PLAIN FINGER LENGTHENER MINI FIXATOUR SHORT	50	20
60020060630	PLAIN FINGER LENGTHENER MINI FIXATOUR STANDARD	60	30
60020070640	PLAIN FINGER LENGTHENER MINI FIXATOUR LONG	70	40
60020010670	PLAIN FINGER LENGTHENER MINI FIXATOUR X LONG	100	70



CODE	SIZE	CODE	SIZE	Note
30030601002	2x10x60	30030162005	5x20x160	
30030101502	2x15x100	30030182005	5x20x180	
30030121502	2x15x120	30030113005	5x30x110	
30030601502	2x15x60	30030123005	5x30x120	
30030801502	2x15x80	30030143005	5x30x140	
30030602002	2x20x60	30030153005	5x30x150	
30030802002	2x20x80	30030183005	5x30xx180	
30030122502	2x25x120	30030203005	5x30x200	
30030101503	3x15x100	30030124005	5x40x120	
30030201503	3x15x120	30030134005	5x40x130	
30030601503	3x15x60	30030144005	5x40x140	
30030801503	3x15x80	30030154005	5x40x150	
30030102003	3x20x100	30030164005	5x40x160	
30030122003	3x20x120	30030184005	5x40x180	
30030152003	3x20x150	30030204005	5x40x200	
30030602003	3x20x60	30030224005	5x40x220	
30030702003	3x20x70	30030244005	5x40x240	
30030802003	3x20x80	30030254005	5x40x250	
30030102503	3x25x100	30030264005	5x40x260	
30030122503	3x25x120	30030284005	5x40x280	
30030123003	3x40x120	30030245005	5x50x240	
30030143003	3x40x140	30030285005	5x50x280	
30030184003	3x40x180	30030153006	6x30x150	
30030801504	4x15x80	30030163006	6x30x160	
30030102004	4x20x100	30030183006	6x30x180	
30030122004	4x20x120	30030203006	6x30x200	
30030142004	4x20x140	30030124006	6x40x120	
30030152004	4x20x150	30030134006	6x40x130	
30030702004	4x20x70	30030144006	6x40x140	
30030802004	4x20x80	30030154006	6x40x150	
30030102504	4x25x100	30030164006	6x40x160	
30030122504	4x25x120	30030184006	6x40x180	
30030142504	4x25x140	30030194006	6x40x190	
30030152504	4x25x150	30030204006	6x40x200	
30030802504	4x25x80	30030224006	6x40x220	
30030103004	4x30x100	30030254006	6x40x250	
30030123004	4x30x20	30030185006	6x50x180	
30030143004	4x30x140	30030205006	6x50x200	
30030153004	4x30x150	30030225006	6x50x220	
30030183004	4x30x180	30030245006	6x50x240	
30030803504	4x35x80	30030255006	6x50x250	
30030154004	4x40x150	30030206006	6x60x200	
30030122005	5x20x120			
30030150205	5x20x150			





بهتا تفکر ناب سلامت



+989390864461

sale@behtamedical.com

www.behtamedical.com

info@behtamedical.com